



Instance class oracle

Search

Advanced Search  
Preferences

Web Show options...

Results 1 - 30 of about 362,000 for **instance class oracle**. (0.22 seconds)[Uses of Class oracle.ultrasearch.query.Instance \(Oracle Ultra ...](#)

Sponsored Links

**Oracle Classes**

Instructor-led classroom training  
at our sites in DC, MD, VA & WV.  
ONLC.com  
Virginia

Methods in **oracle.ultrasearch.query** that return **Instance** ... Sets the **Instance** object used  
by the **class** to create database connections to the Ultra Search ...  
[download.oracle.com/docs/cd/.../oracle/.../class.../instance.html](#) - Cached - Similar

**Oracle Expert Methodology**

The **Instance class** data refers to the **instance** parameters and **instance** statistics  
information [collected by **Oracle** Expert not necessarily collected from V\$ ...  
[download.oracle.com/docs/cd/B10501\\_01/em/.../meth.htm](#) - Cached - Similar  
More results from [download.oracle.com](#) ...

**S-Index (Oracle Ultra Search Java API Reference)**

`setPassword(String)` - Method in **class oracle.ultrasearch.query.QueryInstance**: Set the  
database username password of the Ultra Search **instance** that should be ...  
[www.filibeto.org/sun/lib/.../oracle/10.2.0.../index-17.html](#) - Cached - Similar

**Instance (Oracle Ultra Search Java API Reference)**

**oracle.ultrasearch.query. Class Instance**. java.lang.Object extended by **oracle.ultrasearch.query.Instance**. Direct Known Subclasses: **QueryInstance** ...  
[stanford.edu/dept/itss/docs/oracle/.../oracle/.../instance.html](#) - Cached - Similar

**G-Index (Oracle Ultra Search Java API Reference)**

`getMailPagePath()` - Method in **class oracle.ultrasearch.query.Instance**: Gets the URL path  
of the web application (JSP or Servlet) that will render the ...  
[stanford.edu/dept/itss/docs/oracle/10g/ultra/.../index-7.html](#) - Cached - Similar  
More results from [stanford.edu](#) >

**QueryInstance (Oracle Ultra Search Java API Reference)**

**Class QueryInstance**. java.lang.Object extended by **oracle.ultrasearch.query.Instance**  
extended by **oracle.ultrasearch.query.QueryInstance** ...  
[www.sc.ehu.es/.../Oracle\\_10g/.../oracle/.../QueryInstance.html](#) - Cached - Similar

**IBM - wrong ELF class: ELFCLASS64 during instance creation with ...**

You may get the following error during **instance** creation if you are using the 64-bit ... wrong  
**ELF class**: ELFCLASS64 during **instance** creation with **Oracle** 9i ...  
[www.ibm.com/support/docview.wss?rs...cs.../](#) - Cached - Similar

**Class oracle.jdbc.pool.OracleDataSource**

public **class OracleDataSource**; extends Object; implements Serializable .... Get the **Oracle**  
JDBC driver type set for this datasource **instance** ...  
[www.princeton.edu/~storacle/.../oracle.jdbc.pool.OracleDataSource.html](#) - Similar

**Class oracle.jdbc.xa.OracleXAResource**

**Class oracle.jdbc.xa.OracleXAResource**. java.lang. ... This method is called to determine if  
the resource manager **instance** represented by the target object ...

[www.princeton.edu/~storacle/.../oracle\\_jdbc\\_xa\\_OracleXAResource.html](http://www.princeton.edu/~storacle/.../oracle_jdbc_xa_OracleXAResource.html) - Cached - Similar  
 More results from www.princeton.edu ...

### **Class oracle.sql.STRUCT**

Parameters: clazz - the **class** to map the receiver into. map - used to map any embedded **Oracle** objects. Returns: an **instance** of the passed **class** representing ...  
[www.orindasoft.com/.../Oracle.../oracle.sql.STRUCT.html](http://www.orindasoft.com/.../Oracle.../oracle.sql.STRUCT.html) - Cached - Similar

### **Oracle Business Components for Java 3.2: Class JSPApplicationRegistry**

Fields inherited from **class oracle.jdeveloper.html.WebBeanImpl** · application, ctx, out, page, ... Returns the singleton **instance** of the registry **class**. ...  
[www.lattc.edu/doc/r/oracle/.../JSPApplicationRegistry.html](http://www.lattc.edu/doc/r/oracle/.../JSPApplicationRegistry.html) - Cached - Similar

### **Oracle RAC instance affinity tips**

**Oracle RAC instance** affinity tips. ... **Oracle FA 11i class** ... In RAC, use **instance** affinity to make all requests go to the same node. ...  
[www.dba-oracle.com/t\\_rac\\_instance\\_affinity.htm](http://www.dba-oracle.com/t_rac_instance_affinity.htm) - Cached - Similar

### **IPAddress (Oracle Security Developer Tools SAML 2.0 Java API ...**

Fields inherited from **class oracle.security.xmlsec.util.XMLNode** ... Element element)  
 Creates a new **IPAddress** **instance** from the given Element node. ...  
[www.nkmk.ru/portals/abd/.../01/.../oracle/.../IPAddress.html](http://www.nkmk.ru/portals/abd/.../01/.../oracle/.../IPAddress.html) - Cached - Similar

### **Error on import to Oracle backed JIRA instance - SQL Exception ...**

May 25, 2009 ... For a Tomcat hosted **instance** please add SetBigStringTryClob=true to the ... <driver-class>**oracle.jdbc.driver.OracleDriver**</driver-class> ...  
[confluence.atlassian.com/.../Error+on+import+to+Oracle+backed+JIRA+instance+-+SQL+Exception...+Data+size+bigger+than+max+si...](http://confluence.atlassian.com/.../Error+on+import+to+Oracle+backed+JIRA+instance+-+SQL+Exception...+Data+size+bigger+than+max+si...) - Cached - Similar

### **'not an instance of declaring class' on Weblogic-Oracle - Parth ...**

Jul 6, 2008 ... Subject: 'not an **instance** of declaring **class**' on Weblogic-**Oracle**, Actions...  
 From: Parth Pandya (ppan...@avoka.com) ...  
[markmail.org/message/hclspwh5ptxfy6u2](http://markmail.org/message/hclspwh5ptxfy6u2) - Cached - Similar

### **DBIx-Class-Schema-Loader-DBI-Oracle reviews - CPAN Ratings (Gamma)**

Nov 14, 2007 ... My suggestion: Merge and fix the documentation (eg. the DBD::**Oracle** speed hint) into the DBIx-**Class**-Schema-Loader **instance**, no longer hide ...  
[cpanratings.perl.org/.../DBIx-Class-Schema-Loader-DBI-Oracle](http://cpanratings.perl.org/.../DBIx-Class-Schema-Loader-DBI-Oracle) - Cached - Similar

### **How to make single instance class - Toolbox for IT Groups**

If i create a **class** then there should be only one **instance** to taht **class**. How can i do this - venu. Related White Papers and Webcasts. **Oracle** Compatibility ...  
[java.ittoolbox.com/.../how-to-make-single-instance-class-191770](http://java.ittoolbox.com/.../how-to-make-single-instance-class-191770) - Cached - Similar

### **OracleBlob Class**

Client; using **Oracle.DataAccess.Types**; **class** OracleBlobSample { static void Main()  
 { string ... Creates an **instance** of the OracleBlob **class** (Overloaded) ...  
[www.mcs.csueastbay.edu/.../oracle/doc/.../OracleBlobClass.htm](http://www.mcs.csueastbay.edu/.../oracle/doc/.../OracleBlobClass.htm) - Cached - Similar

### **Oracle Extensions**

When you construct a CHAR object, you must provide character set information to the CHAR object by way of an **instance** of the **oracle.sql.CharacterSet** **class**. ...  
[www.cs.umbc.edu/help/oracle8/java.815/.../oraext2.htm](http://www.cs.umbc.edu/help/oracle8/java.815/.../oraext2.htm) - Cached - Similar

### **bf7/79b/0621d4f54dc9111c8725c74674a490dc32/bf779b0621d4f54dc9111c8725c**

Aug 22, 2008 ... MF **oracle/sysman/assistants/rconfig/RConfig.class** ...  
 \$RConfigErrorListener.**class oracle/sysman/assistants/rconfig/engine/Instance.class** ...  
[xml.jar-ozar.com/.../bf779b0621d4f54dc9111c8725c74674a490dc32-jar-ozar.xml](http://xml.jar-ozar.com/.../bf779b0621d4f54dc9111c8725c74674a490dc32-jar-ozar.xml) - Cached - Similar

### **Nabble - Cayenne - User - 'not an instance of declaring class' on ...**

2 posts - 1 author - Last post: Jul 7, 2008  
 'not an **instance** of declaring **class**' on Weblogic-**Oracle**. Hi Guys, I'm getting "  
 java.lang.IllegalArgumentException: object is not an **instance** ...  
[www.nabble.com/not-an-instance-of-declaring-class'-on-Weblogic-Oracle-](http://www.nabble.com/not-an-instance-of-declaring-class'-on-Weblogic-Oracle-)

[td18310459.html](#) - Cached - Similar

**Uses of Class oracle.jbo.server.DBTransactionImpl (Oracle ADF ...)**  
 Uses of **Class oracle.jbo.server.DBTransactionImpl** ... Instead, DBTransactionImpl2  
**instance**, created by create() , migrates from disconnected to connected ...  
[otndnid.oracle.co.jp/.../oracle/.../class.../DBTransactionImpl.html](#) - Cached - Similar

## Oracle Ultra Search Java API Reference: G-Index

getMailPagePath() - Method in **class oracle.ultrasearch.query.Instance**: Gets the URL path of the web application (JSP or Servlet) that will render the ...  
[download-west.oracle.com/docs/cd/.../04/.../index-7.html](#) - Cached - Similar

## RE: 'not an **instance** of declaring **class**' on Weblogic-Oracle

Subject, RE: 'not an **instance** of declaring **class**' on Weblogic-Oracle. Date, Tue, 08 Jul 2008 07:05:23 GMT. Hi Andrus, Thanks a lot for this. ...  
[mail-archives.apache.org/.../%3CD7393F68A0C443478F24E11BF12F89D4B415AE@m...](#) - Cached - Similar

## Java : Difference of **Class** Variable and **Instance** Variable

I have specific experience with the **class oracle.jdbc.driver**. ... static initialization block in which it creates an **instance** of itself and then passes that ...  
[www.sap-img.com/.../difference-between-without-newinstance-and-with-newinstance.htm](#) - Cached - Similar

## Oracle Business Components for Java 3.2: **Class** ...

Fields inherited from **class oracle.jbo.server.DefObject**. mCompUsageList, mCompUsages .... Returns: the server **class** of a RemoteServer **instance**, or null. ...  
[sikkim.sik.nic.in/.../oracle/jbo/.../ApplicationModuleDefImpl.html](#) - Cached - Similar

## Oracle 8i DBA - Oracle Instance, the Start-up and Shutdown ...

Bring this **Oracle 8i DBA - Oracle Instance**, the Start-up and Shutdown Procedure training **class** in-house at your facility. Request More Information On **Oracle** ...  
[www.trainup.com/.../Oracle/Oracle-8i-DBA---Oracle-Instance-the-Start-up-and-Shutdown-Procedure-457.htm](#) - Cached - Similar

## install 10g , can't start database **instance**

2 posts - Last post: Nov 1, 2004  
 ContextInitializer contextInitialized.256 - Integration **Class** not found: **oracle**.tip.oem.central.**instance**.ProcessConnectInst ancelIntg ...  
[www.mydatabasesupport.com/.../oracle.../33841-install-10g-can-t-start-database-instance.html](#) - Cached - Similar

## ReferenceList (Oracle Security Developer Tools XML Security Java ...)

Fields inherited from **class oracle.security.xmlsec.util**. ... Creates a new ReferenceList **instance**. from the given Element node. ...  
[docs.huihoo.com/oracle/docs/.../oracle/.../ReferenceList.html](#) - Cached - Similar

## I-Index (Oracle Ultra Search Java API Reference)

InstanceMetaData - **Class** in **oracle.ultrasearch.query**: **Class** InstanceMetaData provides comprehensive information about an **instance**: attributes, groups, lovs, ...  
[database.in2p3.fr/doc/oracle/Oracle.../index-9.html](#) - Cached - Similar

## Searches related to: **instance class oracle**

<a href="#">jdbc driver class oracle</a>	<a href="#">java sql oracle</a>	<a href="#">oracle meta data</a>	<a href="#">instance of a class</a>
<a href="#">oracle instance name</a>	<a href="#">rename oracle instance</a>	<a href="#">oracle database instance</a>	<a href="#">start oracle instance</a>

instance class oracle

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)